



Confirmation of Product Type Approval 04/APR/2011

Please refer to the "Service Restrictions" shown below to determine if Unit Certification is required for this product.

This is to certify that, pursuant to the Rules of the American Bureau of Shipping (ABS), the manufacturer of the below listed product held a valid Manufacturing Assessment (MA) with expiration date of 02/MAR/2015. The continued validity of the Manufacturing Assessment is dependent on completion of satisfactory audits as required by the ABS Rules.

And; a Product Design Assessment (PDA) valid until 10/FEB/2015 subject to continued compliance with the Rules or standards used in the evaluation of the product.

The above entitle the product to be called Product Type Approved.

The Product Design Assessment is valid for products intended for use on ABS classed vessels, MODUs or facilities which are in existence or under contract for construction on the date of the ABS Rules used to evaluate the Product.

ABS makes no representations regarding Type Approval of the Product for use on vessels, MODUs or facilities built after the date of the ABS Rules used for this evaluation.

Due to wide variety of specifications used in the products ABS has evaluated for Type Approval, it is part of our contract that; whether the standard is an ABS Rule or a non-ABS Rule, the Client has full responsibility for continued compliance with the standard.

FIREYE INC.

Model Name(s): BurnerLogiX

Presented to:

FIREYE INC.
3 MANCHESTER ROAD
DERRY
United States

Intended Service: Marine & Offshore Application

Description: YB110/YB230 and ZB110/ZB230 Microprocessor Based Burner Management System with optional YZ300/YZ320 Interlock Annunciator Module.

Ratings: Temperature Rating: -40°F to +140°F (-40°C to +60°C); Supply Voltage: 120 VAC/230 VAC, +10%, -15% 50/60 Hz See attached .pdf for model listing and details.

Service Restrictions: Unit Certification is not required for this product. If the manufacturer or purchaser request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances, must be clearly defined.

Comments: For each installation on an ABS classes vessel/unit drawings and details as required by 4-4-1/11 are to be submitted for review including the following: 1) High and low water level sensors are not included and are to be provided in accordance with 4-4-1/11.5.1 (a) of the Steel Vessels Rules. 2) Burners are to be arranged so that they cannot be withdrawn unless the fuel supply to the burners is cut off as per 4-4-1/11.5.1 (e) of the Steel Vessels Rules. 3) Means are to be fitted to detect and alarm at early stages in case of fire in the boiler air supply and the exhaust duct as per 4-4-1/11.5.2 (b) of the Steel Vessels Rules.

Notes / Documentation: This Product Design Assessment (PDA) is valid only for products intended for use on ABS classed vessels, MODUs or facilities which are in existence or under contract for construction on the date of the ABS Rules used to evaluate the Product.

Term of Validity: This product/model is covered under Product Design Assessment (PDA) Certificate # 10-HS548789B-PDA, dated 11/Feb/2010. This PDA Certificate expires 10/Feb/2015. It will remain valid for 5 years from date of issue or until the Rules or specifications used in the assessment are revised (whichever occurs first). It is valid for all vessels contracted on or before the date of the Rules used in this evaluation.


ABS Rules: 2010 Steel Vessels Rules 1-1-4/7.7, 4-4-1/11

National Standards: UL 372 and CSA 22.2 No. 199 - UL Report No. MP1537 Vol. 16, Sec. 3 (revised 29 September 2009), MP1537 Vol. 27, Sec. 1 (dated 27 February 2007)

International Standards: EN 298, EN 60730-1(200) - KIWA Certificate No. 123745 (dated 8 May 2008), FM Report Project No.: 3026929 (dated 12 April 2005), FM Report Project No.: 3024635 (dated 2 December 2005), FM Report Project No.: 3020705 (dated 12 April 2005) & FM Report Project No.: 3028185 (dated 15 February 2007)

Government Authority:
EUMED:
Others:

Model Certificate	Model Certificate No	Issue Date	Expiry Date
PDA	10-HS548789B-PDA	11/FEB/2010	10/FEB/2015



ABS Programs

ABS has used due diligence in the preparation of this certificate and it represents the information on the product in the ABS Records as of the date and time the certificate was printed. Type Approval requires Drawing Assessment, Prototype Testing and assessment of the manufacturer's quality assurance and quality control arrangements. Limited circumstances may allow only Prototype Testing to satisfy Type Approval. The approvals of Drawings and Products remain valid as long as the ABS Rule, to which they were assessed, remains valid. ABS cautions manufacturers to review and maintain compliance with all other specifications to which the product may have been assessed. Further, unless it is specifically indicated in the description of the product; Type Approval does not necessarily waive witnessed inspection or survey procedures (where otherwise required) for products to be used in a vessel, MODU or facility intended to be ABS classed or that is presently in class with ABS. Questions regarding the validity of ABS Rules or the need for supplemental testing or inspection of such products should, in all cases, be addressed to ABS.